



UNITED STATES PATENT AND TRADEMARK OFFICE

NW
UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/913,808	12/20/2001	Ernst Faber	FABER,S-7	5272

25889 7590 11/28/2003

WILLIAM COLLARD
COLLARD & ROE, P.C.
1077 NORTHERN BOULEVARD
ROSLYN, NY 11576

EXAMINER

CULLER, JILL E

ART UNIT	PAPER NUMBER
----------	--------------

2854

DATE MAILED: 11/28/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/913,808

Applicant(s)

FABER, ERNST

Examiner

Jill E. Culler

Art Unit

2854

NW

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 11/6/03
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 19-26 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 19-26 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 20 December 2001 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. §§ 119 and 120

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☒ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 13) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.
- a) ☐ The translation of the foreign language provisional application has been received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) _____
- 4) ☐ Interview Summary (PTO-413) Paper No(s). _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

DETAILED ACTION

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 19-25 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 4,432,281 to Wall et al. in view of U.S. Patent No. 5,855,170 to Shih and U.S. Patent No. 5,577,444 to Toyama and U.S. Patent No. 5,048,414 to Hoshino.

With respect to claims 19-20, Wall et al. teaches a self-inking hand stamp with upper impact inking, comprising a stamp housing, 1, a stamp aggregate, arranged in the stamp housing, capable of moving from an inking position on an ink pad, 7, into a stamping position, an actuating frame, 4, incorporating a reversing mechanism mounted in the form of a cap on top of the stamp housing, 1, and capable of being depressed relative thereto against a spring force for moving the stamp aggregate from the inking position into the stamping position, the actuating frame, 4, two broad sides opposite each other, two narrow sides opposite each other, extending into legs resting laterally on the stamp housing, 1, and a top side.

Wall et al. does not teach that the top side of the stamp has a receiving recess for accommodating an information sheet, the receiving recess extending continually from the top side to at least one of the broad sides and being delimited by edges before it reaches the narrow sides, or a one-piece, transparent cover, detachably mounted

over the receiving recess, the cover being curved to conform to the receiving recess.

Wall et al. also does not teach that the receiving recess is substantially U-shaped and extends from the top side to both broad sides of the actuating frame and that the transparent cover is conformingly U-shaped.

Shih teaches a hand stamp having a top side with a receiving recess, 31, for accommodating an information sheet, 35, with a detachably mounted transparent cover, 34, associated with said receiving recess.

Toyama shows a hand stamp with a handle having a recess delimited by edges before it reaches the narrow sides, extending continually from the top side to at least one of the broad sides with a generally U-shaped cross section.

Hoshino teaches a stamping device, 1, having a cover, 57, extending continually from the top to one side and delimited by edges before it reaches the other sides, and displaying informational content, 58.

It would have been obvious to one having ordinary skill in the art at the time of the invention to modify the hand stamp of Wall et al. using the receiving recess and transparent cover design of Shih in the shape of the recess of Toyama in order to be able to retain an information sheet along the top and sides of the hand stamp for maximizing the information provided to the user, as taught by the design of Hoshino.

With respect to claims 21-25, Wall et al. teaches a cover, 4b, connected to the top of the actuating frame, 4, which has locking projections in the form of strips, shaped by molding, on the edges of the cover, for snapping into locking recesses or windows

located on the edge of the receiving recess. Wall also teaches a support shoulder at at least one of the edges of the receiving recess for supporting the edge of the cover

Wall et al. does not teach that these locking projections are part of a transparent cover and receiving recess or that the locking projections also form means for holding the information sheet on the inner side of the transparent cover.

Shih teaches a transparent cover having locking projections, 341, which snap into locking recesses, 313, in the receiving recess and form a means for holding the information sheet on the inner side of the transparent cover.

It would have been obvious to one having ordinary skill in the art at the time of the invention to use the cover design of Wall et al. to attach the transparent cover of the proposed modified device of wall et al. in order to firmly seat the cover and retain the information sheet.

3. Claims 19-25 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 4,432,281 to Wall et al. in view of U.S. Patent No. 5,855,170 to Shih and U.S. Patent No. 5,577,444 to Toyama.

With respect to claims 19-20, Wall et al. teaches a self-inking hand stamp with upper impact inking, comprising a stamp housing, 1, a stamp aggregate, arranged in the stamp housing, capable of moving from an inking position on an ink pad, 7, into a stamping position, an actuating frame, 4, incorporating a reversing mechanism mounted in the form of a cap on top of the stamp housing, 1, and capable of being depressed relative thereto against a spring force for moving the stamp aggregate from the inking

position into the stamping position, the actuating frame, 4, two broad sides opposite each other, two narrow sides opposite each other, extending into legs resting laterally on the stamp housing, 1, and a top side.

Wall et al. does not teach that the top side of the stamp has a receiving recess for accommodating an information sheet, the receiving recess extending continually from the top side to at least one of the broad sides and being delimited by edges before it reaches the narrow sides, or a one-piece, transparent cover, detachably mounted over the receiving recess, the cover being curved to conform to the receiving recess. Wall et al. also does not teach that the receiving recess is substantially U-shaped and extends from the top side to both broad sides of the actuating frame and that the transparent cover is conformingly U-shaped.

Shih teaches a hand stamp having a top side with a receiving recess, 31, for accommodating an information sheet, 35, with a detachably mounted transparent cover, 34, associated with said receiving recess.

Toyama shows a hand stamp with a handle having a recess delimited by edges before it reaches the narrow sides, extending continually from the top side to at least one of the broad sides with a generally U-shaped cross section.

It would have been obvious to one having ordinary skill in the art at the time of the invention to modify the hand stamp of Wall et al. using the receiving recess and transparent cover design of Shih in the shape of the recess of Toyama in order to be able to retain an information sheet along the top and sides of the hand stamp for maximizing the information provided to the user. It should be noted that, although

Art Unit: 2854

Toyama does not explicitly teach a detachable transparent cover, one having ordinary skill in the art would realize that a delimited area indicated on the handle of a stamp, as seen in Figure 3 of Toyama, would most likely represent a receiving recess for holding an information sheet with a transparent cover to provide protection for the information.

With respect to claims 21-25, Wall et al. teaches a cover, 4b, connected to the top of the actuating frame, 4, which has locking projections in the form of strips, shaped by molding, on the edges of the cover, for snapping into locking recesses or windows located on the edge of the receiving recess. Wall also teaches a support shoulder at at least one of the edges of the receiving recess for supporting the edge of the cover

Wall et al. does not teach that these locking projections are part of a transparent cover and receiving recess or that the locking projections also form means for holding the information sheet on the inner side of the transparent cover.

Shih teaches a transparent cover having locking projections, 341, which snap into locking recesses, 313, in the receiving recess and form a means for holding the information sheet on the inner side of the transparent cover.

It would have been obvious to one having ordinary skill in the art at the time of the invention to use the cover design of Wall et al. to attach the transparent cover of the proposed modified device of wall et al. in order to firmly seat the cover and retain the information sheet.

4. Claim 26 is rejected under 35 U.S.C. 103(a) as being unpatentable over Wall et al., Shih, Toyama and Hoshino, as applied to claims 19-25 above, and further in view of U.S. Patent No. 5,623,875 to Perets.

Wall et al., Shih, Toyama and Hoshino teach all that is claimed, as in the above rejection of claims 19-25, except that the transparent cover is curved in transverse and longitudinal directions.

Perets shows a hand stamp having a cover which is curved in transverse and longitudinal directions.

It would have been obvious to one of ordinary skill in the art at the time of the invention to further modify the handle design of Wall et al. using the curving structure of Perets in order to provide a more advantageous surface for grasping the stamp.

Response to Arguments

5. Applicant's arguments filed November 6, 2003, have been fully considered but they are not persuasive.

In response to applicant's argument that the delimited area discussed in Toyama would most likely represent a design, the examiner acknowledges the new submitted shows a similar delimited area indicating a design. However, based on the previously cited prior art, one having ordinary skill in the art at the time of the invention would find it obvious that this area could represent a receiving recess for an information sheet as well.

In response to applicant's arguments against Hoshino, one cannot show nonobviousness by attacking references individually where the rejections are based on combinations of references. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981); *In re Merck & Co.*, 800 F.2d 1091, 231 USPQ 375 (Fed. Cir. 1986). Hoshino is relied upon merely for the shape of the cover, not for the other limitations described in the other references. Although Hoshino is a different type of stamp device, the teaching of a cover having information represented in this manner is shown here to be prior art.

Conclusion

6. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Art Unit: 2854

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jill E. Culler whose telephone number is (703) 308-1413. The examiner can normally be reached on M-Th 7:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Andrew Hirshfeld can be reached on (703) 305-6619. The fax phone number for the organization where this application or proceeding is assigned is (703) 308-7722.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-1782.



Dan Colilla
Primary Examiner
Art Unit 2854

jec